

**THE BIRDS OF INDONESIA, KUKILA CHECKLIST No. 1  
ADDITIONS, CORRECTIONS AND NOTES -2**

by  
The Indonesian Ornithological Society

This is the second update of the *Kukila* Checklist of the birds of Indonesia. The authorship of these checklist updates will be the Ornithological Society of Indonesia, or *Kukila* for ease of reference. This paper has been compiled by Derek Holmes, K. David Bishop and Paul Andrew.

The inaugural checklist was published in 1992 (Andrew 1992) and the first update appeared a year later (Andrew 1993). This second supplement is organized in the same way except that the many issues of classification that have been published since 1993 will be dealt with in a separate paper that is currently in preparation. The main objective of the present paper is to present new distributional data. Most of the data are derived from published references, although a few are from submitted notes that await publication.

All revisions made to the Indonesian Checklist (Andrew 1992) in Andrew (1993) and in this current update are listed in the annex.

The following additions and deletions should be made to the Checklist under the region indicated. Species not preceded by a number are new to Indonesia.

Sumatra (including West Sumatra Islands, Riau archipelago, Bangka and Billiton).

- 124 *Hieraaetus pennatus* **Booted Eagle** (Rajathurai 1996)
- 156 *Anas acuta* **Northern Pintail** (*Kukila* 1996).
- 269 *Heteroscelus brevipes* **Grey-tailed Tattler** (Grantham & Kemp, 2000)
- 301 *Larus ridibundus* **Common Black-headed Gull** (Sumatra Bird Report 2, in prep.).
- Sterna aleutica* **Aleutic Tern** (Kennerley & Ollington 1998).
- 1013 *Orthotomus sutorius* **Common Tailorbird** (Rajathurai 1996).
- 1459 *Dicrurus macrocercus* **Black Drongo** (Ollington & Loh 1996).
- 1525 *Corvus splendens* **Home Crow** (Shepherd, 1999).

While six of these are assumed to be Palearctic winter migrants, including the Black Drongo, the tailorbird is likely to be resident on Bintan island. The House Crow is based on a record of a single bird at the port of Belawan almost certainly ship assisted.

Kalimantan (including Anambra, Tambora and Natuna Islands)

- 39 *Ardea cinerea* **Grey Heron** (van Balen 1999).
- 83 *Milvus nigripes* **Black Kite** (Kalimantan Bird Report 2 Holmes 1997).
- Spilornis kinabaluensis* **Kinabalu Serpent-eagle** (van Balen 1999).
- 95 *Circus spilonorus* **Eastern Marsh-harrier** (van Balen & Nurwatha 1999).
- 108 *Accipiter virgatus* **Besra** (van Balen 1997).
- 492 *Cuculus sparverioides* **Large Hawk-cuckoo** (van Balen 1997).
- 555 *Otus spilocephalus* **Mountain Scopsowl** (van Balen 1997).
- Harpactes whiteheadi* **Whitehead's Trogon** (van Balen 1997).

- Megalaima pulcherrima* **Golden-naped Barbet** (van Balen 1997).  
 756 *Psarisomus dalhousiae* **Long-tailed Broadbill** (van Balen 2000).  
 778 *Hirundo daurica* **Red-rumped Swallow** (Eve & Guigue 1989).  
 831 *Pericrocotus solaris* **Grey-chinned Minivet** (van Balen 1997).  
*Pycnonotus flavescens* **Flavescens Bulbul** (van Balen 1997).  
 879 *Brachypteryx montana* **White-browed Shortwing** (van Balen 1997).  
 894 *Monticola solitarius* **Blue Rock Thrush** (Davison 1997).  
 905 *Zoothera citrina* **Orange-headed Thrush** (Larnan *et al.* 1996).  
 908 *Zoothera dauma* **Scaly Thrush** (Laman *et al.* 1996).  
 990 *Cettia vulcania* **Sunda Bush-warbler** (van Balen 1997).  
 995 *Megalurus palustris* **Striated Grassbird** (van Balen 1999).  
*Rhinomyias gularis* **White-browed Rinomyias** (van Balen 1997).  
 1041 *Eumyias indigo* **Indigo Flycatcher** (van Balen 1997).  
*Arachnothera juliae* **Whitehead's Spiderhunter** (van Balen 1997).  
 1277 *Zosterops atricapilla* **Black-capped White-eye** (van Balen 1997).  
 1388 *Erythrura hyperythra* **Tawny-breasted Parrot-finch** (van Balen 1997).

The majority of these species were found in the mountainous regions along the northern border with Sabah and Sarawak, and represent relatively minor and not unexpected extensions of known range. Most of the others are Palearctic migrants or vagrants. See under Miscellaneous Notes for comment on Red rumped Swallow. Probably only the Striated Grassbird represents a genuine range expansion facilitated by the new expanses of open habitat, but further such range expansions can surely be predicted.

The following two species are already listed for the region but are added here as noteworthy for being first records for the Kalimantan mainland:

- 252 *Charadrius veredus* **Oriental Plover** (van Balen & Hedges 2000) previously recorded from Natuna Islands only (Andrew 1992).  
 1042 *Ficedula zanthopygia* **Yellow-rumped Flycatcher** (Brooks 1996) previously recorded from Anambas Islands only (Andrew 1992).

#### Java (including Bali)

- Haematopus fuliginosus* **Sooty Oystercatcher** (Mason 1997) Bali.  
 301 *Loarus ridibundus* **Common Black-headed Gull** (Myers 2000) Bali.  
*Sterna aleutica* **Aleutian Tern** (Hill & Bishop 1999).  
 881 *Luscinia cyane* **Siberian Blue Robin** (Luijendijk & Scharringa 1999).

The following four species should be removed from the list for the Java region. The unique specimen of Rajah's Scopsowl has been re identified as Javan Scopsowl, and the other three species are considered to represent aviary escapees (see Miscellaneous Notes).

- 482 *Loriculus galgulus* **Blue-crowned Hanging-parrot** (listed citing Balen & Lewis 1991)  
 563 *Otus brooki* **Rajah's Scowpowl** (listed citing Kuroda 1936, but see Becking 1994)  
 1387 *Taeniopygia guttata* **Zebra Finch** (added by Andrew 1993 citing Mason 1993). As there is no change to the checklist entry, this species is not included in the Annex below.  
 1398 *Lonchura leucogastra* **White-bellied Munia** (listed citing Hoogerwerf 1962)

### Sulawesi

[The Indonesian checklist (Andrew 1992) and others (see White & Bruce 1986, Coates & Bishop 1997) consider that the Sula Islands avifauna has closer biogeographical affinities with Sulawesi than with the Moluccas. *Kukila* will continue to follow this arrangement. Nevertheless, it should be noted that for political and practical reasons BirdLife International Indonesia prefers to follow the administrative boundaries and includes the Sula Islands within the Maluku administrative region. It is for this reason that the Checklist prefers to use the more general names of Moluccas and Lesser Sundas].

- 95 *Circus spilonotus* **Eastern Marsh-harrier** (Wardill & Katuuk 1999).  
 134 *Falco tinunculus* **Eurasian Kestrel** (Riley 1997).  
*Gymnocrex talaudensis* **Talaud Rail** (Lambert 1998a).  
*Amaurornis magnirostris* **Talaud Bush-hen** (Lambert 1998b).  
 236 *Rostratula benghalensis* **Greater Painted Snipe** (Bishop & Bishop 1999).  
*Tringa erythropus* **Spotted Redashank** (Riley 1997).  
*Sterna aleutica* **Aleutian Tern** (Hill & Bishop 1999).  
*Ninox ios* **Cinnabar Owl** (Rasmussen 1999).  
 998 *Locustella lanceolata* **Lanceolated Warbler** (Wardill & Riley 2000).  
 1024 *Phylloscopus poliocephalus* **Island Leaf-warbler** (Sula Stones *et al.* 1997).  
*Emberiza spodocephala* **Black-faced Bunting** (Sula Stones *et al.* 1997).

The two rails recently discovered on Karakelong in the Sangihe Talaud group are new to science. This *Ninox* is technically a taxonomic re-evaluation but has been included here as it was first identified as a colour morph.

Other species are presumed migrant, although the status of the Painted Snipe remains uncertain. It is strange that this species should have been previously overlooked. We see no reason to reject the record of a migrating European Kestrel in the Sangihe Talaud group (see Coma & Bishop 1997).

### Moluccas

- 298 *Stercorarius parasiticus* **Arctic Jaeger** (Poulsen in prep.).  
 299 *Stercorarius longicaudus* **Long-tailed Jaeger** (Poulseti in prep.).  
 306 *Hydroprogne caspia* **Caspian Tern** (Ekstrom & Isherwood 2000).  
 646 *Alcedo pusilla* **Little Kingfisher** (White & Bruce 1986).

The little Kingfisher was overlooked in the Checklist (*cf.* Andrew 1992:25 and White & Bruce 1986:281).

The following nomenclatural change should be noted:

421 *Eos bornea* **Moluccan Red Lory** reverts to *Eos rubra* (Walters 1998).

#### Lesser Sundas

67 *Leptoptilos javanicus* **Lesser Adjutant** (Johnstone *et al.* 1996).

*Sterna paradisea* **Arctic Tern** (R. Johnstone in litt. to P. Andrew, female collected 24 October 1990 at Sema Island, specimen in Western Australian Museum).

999 *Locustella certhiola* **Pallas's Warbler** (Bishop in prep.).

#### Irian Jaya

81 *Macheiramphus alcinus* **Bat Hawk** (Glynn 1995).

273 *Limnodromus sentipalmatus* **Asian Dowitcher** (Bostock 2000).

*Recurvirostra novaehollandiae* **Australian Avocet** (Bostock 2000).

778 *Hirundo daurica* **Red-rumped Swallow** (Gregory *et al.* 1996).

894 *Monticola solitarius* **Blue Rock Thrush** (Gregory *et al.* 1996).

*Passer domesticus* **House Sparrow** (Holmes & Gregory 1997).

Four of these species are migrants (although perhaps vagrant status should be awarded to the Avocet), while the Bat Hawk is presumed to be a previously overlooked resident. See under Miscellaneous Notes for comment on Red rumped Swallow. The House Sparrow is either expanding its range from its fen] base in Papua New Guinea or, more probably, has made a separate ship or plane assisted entry; it, appears to be competing with Tree Sparrow *Passer montanus* in the occupation of new territories.

#### **Miscellaneous Notes**

##### Records of 'red rumped swallows'

Red rumped Swallow *Hirundo daurica* was listed for Sumatra on the basis of a single sight record cited in Marle & Voous (1988) with the caveat that its status required review (Andrew 1992:59). The situation has clarified slightly with specimens collected in Australia, one from the north west of Western Australia and a second from north east Queensland, having been identified as the northern migrant subspecies *H. daurica japonica*. Whilst there are still no specimen records of *daurica* identified from Indonesia it would seem reasonable to continue to accept winter records of red rumped swallows reported outside of the range of resident *striolata* as *daurica* until the situation is further clarified. Exotics

## Exotics

When the only regional record is believed so represent a feral population it is indicated by an 'F' in the Checklist. A feral status is not always easily decided, particularly in a country where caged birds are so popular (Andrew 1992 4). Nevertheless 'F' is a useful category as few populations can have considerable impact on indigenous species. The term is sometimes restricted to a domestic population returned to the wild but here includes wild form deliberately translocated. It does not cover ship assisted vagrants, which we currently include (e.g. House Sparrow, House Crow), or individual escapees, which we currently exclude. The following records are thought to represent individual escapees and have not been accepted for the region in question:

- 141 *Anseranus senripalmatus* Magpie Goose (Moores & Healey 1995). There is no confirmation that the single bird kept on the island of Banda (Moluccas) arrived unassisted (see also Coates & Bishop 1977).
- 394 *Streptopelia tranquebarica* Red Collared Dove. This species is feral in Sulawesi, but the record from Java (van Balen 1997) is assumed to represent an escapee.
- 1384 *Amandava amandava* Red Avadavat (Kalimantan Bird Report 2 Holmes 1997). Pending further data, birds in Kalimantan are presumed to represent a temporary feral population.

Finally, the establishment of *Lonchura pallidiventer* **Cream-bellied Munia** (Restall 1996) for Kalimantan, accepted by Inskipp *et al.* (1996), is disputed by van Balen (1999) who considers that the birds in question were hybrids. Acceptance of *pallidiventer* should be deferred pending the studies recommended by van Balen (1998). See also LeCroy (1999).

## **References**

- Andrew, P. 1992. *The birds of Indonesia A checklist (Peters' sequence)*. Jakarta: Indonesian Ornithological Society.
- Andrew, P. 1993. The bird of Indonesia. *Kukila* checklist no. 1. Additions, corrections and notes 1. *Kukila* 6(2):47-52.
- Balen, S. van. 1997. Faunistic notes from Kayan Mentarang with new records for Kalimantan. *Kukila* 9: 108-113.
- Balen S. van. 1998. A hybrid munia? *Bull. Brit. Orn. Cl.* 118(2): 118-119.
- Balen, S. van. 1999. Note on the distribution of the Kinabalu Serpent eagle with a first record for Kalimantan. *Kukila* 10: 154-156.
- Balen, S. van. 1999. First record of Grey Heron in Kalimantan. *Kukila* 10: 156-157.
- Balm S. van & Pupung F. Nurwatha. 1999. Eastern Marsh harrier in Kalimantan. *Kukila* 10: 152-153.
- Balen, S. van. 1999. Note on a sighting of Striated Grassbird in Kalimantan. *Kukila* 10: 157-158.
- Balen S. van. 2000. A record of Long tailed Broadbill from Kalimantan. *Kukila* 11: 146-147.
- Bishop, K.D. In prep. Pallas's Grasshopper Warbler *Locustella certhiola*; a new bird for Wallacea. *Kukila* 12.

- Bishop, R. & A. Bishop. 1999. A record of Greater Painted snipe *Rostratula benghalensis* in Sulawesi, Indonesia. *Forktail* 15:105.
- Bostock, S. 2000. Australian Avocet in Irian Jaya. *Kukila* 11: 152
- Brooks, T. 1996. A record of Yellow rumped Flycatcher from Kalimantan. *Kukila* 8: 151 152
- Coates, B.J. & K.D. Bishop. 1997. *A guide to the Birds of Wallacea: Sulawesi, The Moluccas and Lesser Sunda Islands, Indonesia*. Alderley: Dove Publications.
- Davison, G.W.H. 1997. Bird observations on Pulau Laut, South Kalimantan. *Kukila* 9: 122 125.
- Dickinson, E.C., R.S. Kennedy & K.C. Parkes. 1991. *The birds of the Philippines. An annotated checklist*. Tring, U.K: British Orn. Union (Check list no. 12).
- Ekstrom, J.M.M. & I. Isherwood. 2000. New and noteworthy bird records from the island of Seram, Maluku. *Kukila* 11: 51 57.
- Eve, R. & A.M. Guigue. 1989. Survey of the Mahakam River Delta, East Kalimantan, with special reference to its waterbirds. Publ. No. 45, Asian Wetland Bureau, Kuala Lumpur.
- Glynn, W.F. 1995. Bat Hawk (*Macheiramphus alcinus*) sighting from Kobakma, Irian Jaya, Indonesia on 8th December 1990. *Muruk* 7(3): 122 123.
- Graham, M. & N. Kemp. 2000. First record of Grey tailed Tattler in Sumatra. *Kukila* 11: 127.
- Gregory, P., I. Burrows, R. Burrows & G. Burrows. 1996. Red rumped Swallow at Manokwari, a new species for Irian Jaya. *Kukila* 8: 153.
- Gregory, P., I. Burrows, R. Burrows & G. Burrows. 1996. Blue Rock thrush, a new species for Irian Jaya. *Kukila* 8: 154.
- Hill, N.P. & K.D. Bishop. 1999. Possible winter quarters of the Aleutian Tern. *Wilson Bull.* 111 (4):159 160,
- Holmes, D.A. & P. Gregory. 1997. Records of House Sparrows in Irian Jaya. *Kukila* 9:182 183.
- Inskipp, T., N. Lindsey & W. Duckworth. 1996. *An Annotated Checklist of the Birds of the Oriental Region*. UK: Oriental Bird Club.
- Johnstone, R.E., P. Jepson, S.H.M. Butchart, J.C. Lowen & D. Prawiradilaga. 1996. The birds of Sumbawa, Moyo and SangeW Islands, Nusa Tenggara, Indonesia. *Records of the Western Australian Museum* 18:157 178.
- Kennerley, P. & R. Ollington. 1998. Aleutian Terns in South east Asia. *Oriental Bird Club Bull.* 27:34 41.
- Kukila*. 1996. Sumatra Bird Report. *Kukila* 8: 9 56.
- Kukila*. 1997. Kalimantan Bird Report 2. *Kukila* 9: 141 169.
- Kuroda, N. 1936. *The Birds of the Island of Java. Vol. 2. Non-Passerres*. Tokyo: Author.
- Laman, T.G., J.C. Gaither & D.E. Lukas. 1996. Rain forest bird diversity in Gunung Palung National Park, West Kalimantan, Indonesia. *Tropical Biodiversity* 3(3): 281 296.
- Lambert, F.R. 1998a. A new species of *Gymnocrex* from the Talaud Islands, Indonesia. *Forktail* 13:1 6.
- Lambert, F.R. 1998b. A new species of *Amaurornis* from the Talaud Islands, Indonesia, and a review of the taxonomy of bush hens occurring from the Philippines to Australia. *Bull. Brit. Orn. Cl.* 118(2):67 82.
- LeCroy, M. 1999. Type specimens of new forms of *Lonchura*. *Bull. Brit. Orn. Cl.* 119(4): 214220.
- Luijendijk T.J.C. & J. Scharringa. 1999. Siberian Blue Robin in West Java. *Kukila* 10: 161 162

- 
- Mason, V. 1993. A note on the occurrence of Zebra Finch on Bali. *Kukila* 6 (2):132.
- Mason, V. 1997. Sooty Oystercatcher. a new species for Indonesia. *Kukila* 9: 180 182.
- Moores, L. & C. Healey. 1995. Addition to the avifauna of the Banda Islands, Maluku Unpublished ms.
- Myers, E.T. 2000. A record of Black headed Gull in Bali. *Kukila* 11: 137.
- Ollington, R.F. & F. Loh. 1996<sup>a</sup>. Aleutian Terns wintering area found. *Birdline Singapore Monthly Newsletter* 42 for Febnmy.1996.
- Ollington, R.F. & F. Lob. 1996<sup>b</sup>. Karimun Besar recent birdlist, updated 01.04.96. *Birdline Singapore Monthly Newsletter* 43 for March 1996.
- Rajathurai, S. 1996. The birds of Batam ad Bintan Islands, Riau archipelago. *Kukila* 8: 86 113.
- Rasmussen, P.C. 1999. A new species at hawk owl *Ninox* from North Sulawesi, Indonesia. *Wilson Bull.* 111(4):457 464.
- Restall, R. 1996. A proposed new species of munia, genus *Lonchura* (Estrildinae). *Bull. Brit Orn. Cl.* 116(3):137 142.
- Riley, J. 1997. The birds of Sangihe and Talaud, North Sulawesi. *Kukila* 9:3 36.
- Shepherd, C. 1999. House Crow observed in North Sumatra. *Kukila* 10: 162 163
- Stones, A.J., R.S. Lucking, P.J. Davidson & W. Raharjaningtrah. 1997. Checklist of the bids of the Sula Islands (1991), with particular reference to Taliabu island. *Kukila* 9:37 55.
- Stones, A.J., N.A.J. Bean & S. van Balem 1997. Black faced Bunting *Emberiza spodocephala* on Taliabu Island, Sunda Island group; the first record for Indonesia. *Kukila* 9:56 57.
- Walters, M. 1998. What is *Psittacus borneus* Linnaeus? *Forktail* 13: 124 125.
- Wardill, J.C. & Feibe S.G. Katuuk 1999. Eastern Marsh harrier in Sulawesi. *Kukila* 10: 151 152
- Wardill, J.C. & J. Riley. 2000. Lanceolated Warbler records from Sangihe Island, North Sulawesi. *Kukila* 11:148 149.

## ANNEX

## CUMULATIVE CHECKLIST UPDATE

All revisions made to the Indonesian checklist (Andrew 1992) in Andrew (1993) and in this current update are listed below. For definitions and symbols, see Andrew (1992).

For entries with a serial number: replace former checklist text with the new text. For entries without serial number, these are additions to the Indonesian list since the checklist was published, or are newly described species. For species numbers 272, 1035 and 1456, refer to the errata under Miscellaneous Notes in Andrew (1993).

39	Grey Heron	<i>Ardea cinerea</i>	S	K	J	.	.	T	.
67	Lesser Adjutant	<i>Leptotilus javanicus</i>	S	K	J	.	.	T	.
81	Bat Hawk	<i>Macheiramphus alcinus</i>	S	K	.	C	.	I	P
83	Black Kite	<i>Milvus migrans</i>	S	K	.	C	M	T	I f
	Kinabalu Serpent-eagle	<i>Spilornis kinabaluensis</i>	.	K	.	.	.	.	B
95	Eastern Marsh-harrier	<i>Circus spilonotus</i>	S	K	.	C	.	I	P
108	Besra	<i>Accipiter virgatus</i>	S	K	J	.	.	T	.
	Spotted Eagle	<i>Aquila clanga</i>	S	.	.	.	.	.	.
124	Booted Eagle	<i>Hieraaetus pennatus</i>	S	.	J	.	.	.	.
134	Eurasian Kestrel	<i>Falco tinnunculus</i>	S	.	.	C	.	.	.
156	Northern Pintail	<i>Anas acuta</i>	S	.	J	.	.	.	f
182	Ferruginous Partridge	<i>Caloperidix oculea</i>	S	K	.	.	.	.	.
	Talaud Rail	<i>Gymnocrex talaudensis</i>	.	.	.	C	.	.	E
	Talaud Bush-hen	<i>Amaurornis magnirostris</i>	.	.	.	C	.	.	E
236	Greater Painted Snipe	<i>Rostratula benghalensis</i>	S	K	J	C	.	T	f
	Sooty Oystercatcher	<i>Haematopus fuliginosus</i>	.	.	J	.	.	.	.
	Spotted Redshank	<i>Tringa erythropus</i>	S	.	J	C	.	.	f
269	Grey-tailed Tattler	<i>Heteroscelus brevipes</i>	S	K	J	C	M	T	I f
272	Long-billed Dowitcher	<i>Limnodromus scolapaceus</i>	.	.	.	.	.	.	BP
273	Asian Dowitcher	<i>Limnodromus semipalmatus</i>	S	K	J	C	.	T	I f
	Australian Avocet	<i>Recurvirostra novaehollandiae</i>	.	.	.	.	.	.	I
298	Arctic Jaeger	<i>Stercorarius parasiticus</i>	.	.	J	C	M	.	.
299	Long-tailed Jaeger	<i>Stercorarius longicaudus</i>	.	.	.	.	M	T	.
301	Common Black-headed Gull	<i>Larus ridibundus</i>	S	.	J	C	M	.	I f
	Silver Gull	<i>Larus novaehollandiae</i>	.	.	.	.	.	.	I



306	Caspian Tern	<i>Hydroprogne caspia</i>	S	.	.	.	.	M	T	I
	Arctic Tern	<i>Sterna paradisaea</i>	.	.	.	.	.	T	.	.
	Aleutian Tern	<i>Sterna aleutica</i>	S	.	J	C	.	.	.	.
411	Western Crowned Pigeon	<i>Goura cristata</i>	.	.	.	.	F	.	I	.
421	Moluccan Red Lory	<i>Eos rubra</i>	.	.	.	.	M	.	.	.
482	Blue-crowned Hanging-parrot	<i>Loriculus galgulus</i>	S	K	.	.	.	.	.	.
492	Large Hawk-cuckoo	<i>Cuculus sparverioides</i>	S	K	J	C	.	.	.	.
502	Brush Cuckoo	<i>Cacomantis variolosus</i>	.	.	.	C	M	T	I	.
555	Mountain Scopsowl	<i>Otus spilocephalus</i>	S	K	.	.	.	.	.	.
563	Rajah's Scopsowl	<i>Otus brookii</i>	S	.	.	.	.	.	.	.
	Cinnabar Hawk-owl	<i>Ninox ios</i>	.	.	.	C	.	.	.	.
	Whitehead's Trogon	<i>Harpactes whiteheadi</i>	.	K	.	.	.	.	.	.
646	Little Kingfisher	<i>Alcedo pusilla</i>	.	.	.	.	M	.	I	.
647	Variable Dwarf Kingfisher	<i>Ceyx lepidus</i>	.	.	.	C	M	.	I	.
	Golden-naped Barbet	<i>Megalaima pulcherrima</i>	.	K	.	.	.	.	.	.
756	Long-tailed Broadbill	<i>Psarisomus dalhousiae</i>	S	K	.	.	.	.	.	.
	Whitehead's Broadbill	<i>Calypomena whiteheadi</i>	.	K	.	.	.	.	.	.
778	Red-rumped Swallow	<i>Hirundo daurica</i>	S	K	.	.	.	.	I	.
831	Grey-chinned Minivet	<i>Pericrocotus solaris</i>	S	K	.	.	.	.	.	.
	Flavescent Bulbul	<i>Pycnonotus flavesceus</i>	.	K	.	.	.	.	.	.
879	White-browed Shortwing	<i>Brachypteryx montana</i>	S	K	J	.	.	T	.	.
881	Siberian Blue Robin	<i>Luscinia cyane</i>	S	K	J	.	.	.	.	.
892	Pied Bush-chat	<i>Saxicola caprata</i>	S	.	J	C	.	T	I	.
894	Blue Rock Thrush	<i>Monticola solitarius</i>	S	K	.	C	M	.	I	.
905	Orange-headed Thrush	<i>Zoothera citrina</i>	S	K	J	.	.	.	.	.
908	Scaly Thrush	<i>Zoothera dauma</i>	S	K	J	.	.	T	.	.
990	Sunda Bush-warbler	<i>Cettia vulcania</i>	S	K	J	.	.	T	.	.
995	Striated Grassbird	<i>Megalurus palustris</i>	.	K	J	.	.	.	.	.
998	Lanceolated Warbler	<i>Locustella lanceolata</i>	S	.	J	C	M	.	.	.
999	Pallas's Warbler	<i>Locustella certhiola</i>	S	K	J	C	.	T	.	.
1013	Common Tailorbird	<i>Orthotomus sutorius</i>	S	.	J	.	.	.	.	.
1024	Island Leaf-warbler	<i>Phylloscopus poliocephalus</i>	.	.	.	C	M	.	I	.
	White-browed Rhinomyias	<i>Rhinomyias gularis</i>	.	K	.	.	.	.	.	.
1035	Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	.	K	.	C	M	T	I	.
1041	Indigo Flycatcher	<i>Eumyias indigo</i>	S	K	J	.	.	.	.	.
	Mangrove Fmail	<i>Rhipidura phasiana</i>	.	.	.	.	.	.	I	.

1204	Drab Whistler	<i>Pachycephala griseonata</i>	C	M	E
	Whitehead's Spiderhunter	<i>Arachnothera juliae</i>	K		B
1277	Black-capped White-eye	<i>Zosterops atricapilla</i>	S	K	B
1388	Tawny-breasted Parrot-finch	<i>Erythrura hyperythra</i>	K	J	C T
1398	White-bellied Munia	<i>Lonchura leucogastra</i>	S	K	
	House Sparrow	<i>Passer domesticus</i>			I
	Black-faced Bunting	<i>Emberiza spodocephala</i>	C		
1425	Metallic Starling	<i>Aplonis metallica</i>	C	M	T I
1454	Black-and-crimson Oriole	<i>Oriolus cruentus</i>	S	K	J
1456	Wetar Figbird	<i>Sphecotheres hypoleucus</i>			T I
1459	Black Drongo	<i>Dicrurus macrocercus</i>	S	J	
1521	Common Green Magpie	<i>Cissa chinensis</i>	S	K	
1525	House Crow	<i>Corvus splendens</i>	S	J	

The summary table of number of species in Andrew (1992 errata). was as follows:

REGION	NUMBER OF SPECIES		SPECIES ENDEMIC TO:	
			INDONESIA	REGION
Indonesia	1531	[plus 3 feral]	381	
Sumatra	600	[plus 5 feral]	37	20
Kalimantan	479	[plus 3 feral]	5	1
Java	498	[plus 1 feral]	59	29
Sulawesi	380	[plus 9 feral]	115	96
Moluccas	344	[plus 9 feral]	96	65
Lesser Sundas	398	[plus 4 feral]	104	72
Irian Jaya	647	[plus 2 feral]	52	39

With the revisions presented here, d9s table is now revised as follows:

REGION	NUMBER OF SPECIES		SPECIES ENDEMIC TO:	
			INDONESIA	REGION
Indonesia	1551	[plus 3 feral]	384	
Sumatra	610	[plus 5 feral]	37	20
Kalimantan	508	[plus 3 feral]	5	1
Java	498	[plus 1 feral]	59	29
Sulawesi	396	[plus 9 feral]	119	99
Moluccas	349	[plus 10 feral]	97	65
Lesser Sundas	403	[plus 4 feral]	104	72
Irian Jaya	655	[plus 2 feral]	52	39

In addition, 5 of the species new to Kalimantan are found outside of Indonesia only in Borneo.