

ADDITIONS TO THE BIRDS OF WALLACEA. I.

BIRD RECORDS FROM SMALLER ISLANDS IN THE LESSER SUNDAS

by Murray D. Bruce  
(First draft received June 27, 1986 )

During the preparation of *The Birds of Wallacea* (White & Brace 1986), some small island records for the Lesser Sundas were unintentionally omitted although originally covered during the initial compilation of locality data. Their exclusion was due to the long and discontinuous preparation of the annotated checklist. Their inclusion here is offered as a first contribution supplementing the checklist data. A few brief annotations have also been included.

The records listed below cover 20 small islands and have mostly been long overlooked. They are listed in a descending order of the number of individual records omitted, while a majority are based on specimen records, several represent sight records of early collectors quoted in collection reports. Under each island the source references are cited. For additional information on the species covered see White & Bruce (1986). The cutoff date for the checklist, with very few exceptions, was December 1983. I hope to summarise more recent records and other topics in subsequent contributions on Wallacea [but a few have been appended here]. For periodic updates in *Kukila* all contributions (published or unpublished) can be submitted directly to me or c/o The Editors, *Kukila*.

1. Semau (southwest of Timor)

The last collection from Semau was by C.B. Haniel (Hellmayr 1914). The following records are taken from Hellmayr's report, but see also the report of the L. Loria collection by Salvador (1890).

<i>Fregata minor</i>	<i>Saxicola caprata</i>
<i>Falco moluccensis</i>	<i>Cisticola juncidis</i>
<i>Streptopelia chinensis</i>	<i>Myiagra ruficollis</i>
<i>Chalcophaps indica</i>	<i>Monarcha trivirgatus</i>
<i>Geopelia maugei</i>	<i>Rhipidura rufiventris</i>
<i>Ducula rosacea</i>	<i>Anthus novaeseelandiae</i>
<i>Halcyon chloris</i>	<i>Artamus cinereus</i>
<i>Lalage sueurii</i>	<i>Meliphaga reticulata</i>
<i>Oriolus melanotis</i>	<i>Lichemera indisticta</i>
<i>Sphecotheres viridis</i>	

2. Paloe (north of Flores)

All records are based on the report by Verheijen (1961) of his brief visit in 1960.

<i>Megapodius reinwardt</i>	<i>Ducula aenea</i>
<i>Gallus varius</i>	<i>Eudynamys scolopacea</i>
<i>Turnix suscitator</i>	<i>Scythrops novaehollandiae</i>
<i>Streptopelia bitorquata</i>	<i>Centropus bengalensis</i>
<i>S. chinensis</i>	* <i>Tyto alba</i> (?)
<i>Macropygia emiliana</i>	* <i>Apus pacificus</i> (?)
<i>Chalcophaps indica</i>	<i>Zosterops chloris</i>
<i>Geopelia maugei</i>	<i>Lonchura pallida</i>
<i>Ptilinopus melanospila</i>	
* Sight records also queried by Verheijen, but both are very likely to occur on Paloe.	

3. Satonda (off northern Sumbaw)

From the brief visit by Williu Ooherty (Hartert 1896: 574).

<i>Turnix suscitator</i>	<i>Ficedula dumetoria</i>
<i>Eudynaays scolopacea</i>	<i>Momurcba cinerascens</i>
<i>Centropus bengalensis</i>	<i>Artanus leucorhynchus</i>
<i>Caprimulgus macrurus</i>	<i>IMctarinia jugularis</i>
<i>Eurystonius orientalis</i>	<i>Lophoxosfcerops dohertyi</i>
<i>Cisticola juncidis</i>	

4. Sangeang ( or Gunungapi; off northeast Sumbawa)

From the brief visit of the 'narchesa' (Guillemaud 1885).

<i>Haliastur Indus</i>	<i>Saxicola caprata</i>
<i>Streptopelia chinensis</i>	<i>Pachycephala pectoralis</i>
<i>Chalcophaps indica</i>	<i>Parus major</i>
<i>Geopelia maugei</i>	<i>Nectarinia jugularis</i>

Note : In White S Bruce (1986: 316) *Dicrurus densus* (subsp. *biaenaensis*) is listed for Gunungapi (= Sangeang), not Gunungapi in the Banda Sea.

5. Wetar (north of Timor)

From the visit by Heinrich Kuhn (Hartert 1904).

<i>Ardea novaehollandiae</i>	<i>Dicaeum maugei</i>
* <i>Cuculus saturatus</i> (?)	<i>Lonchura punctulata</i>
<i>Scythrops novaehollandiae</i>	<i>Lonchura pallida</i>
* <i>Tyto alba</i> (7)	

- \* These are sight records identified by K'uhn in the field; both are quite likely to occur and Kuhn knew the birds in these islands where he lived and collected. However, both records need confirmation, particularly the Barn Owl *Tyto alba*, an interesting record on an island otherwise only known to be inhabited by a resident scops-owl (*Otus nagicus* then only discovered by Kuhn); but the Brown Hawk-Owl *Ninox scutulata* has been recorded as a winter visitor.

Note: Also amongst Kuhn's sight records, Hartert noted "a gull" (p.175). In White & Bruce (1986) no gulls are recorded for Wallacea, but I noted several possibilities, with *Larus ridibundus* the most likely to occur (p.185). Kuhn's observation may have been this species.

6. Alor (north of Timor)

From the visit by Alfred Everett (Hartert 1898)

<i>Pandion haliaetus</i>	<i>Scythrops novaehollandiae</i>
<i>Haliaeetus leucogaster</i>	

Note: Everett also recorded the presence of a thrush, but none have yet been collected on Alor. Possibly *Zoothera andromedae*.

7. Gunungapi (in the south of the Banda Sea)

From the visit by A. Hoogerwerf in 1938 (van Beurknel s Hoogerwerf 1940).

*Egretta sacra*  
*Falco peregrinus*

*Megapodius reinwardt*  
\* + *Coracina novaehollandiae*

\* In White & Bruce (1986: 136), Hartert's (1904: 190) record of an Australian subspecies of Peregrine from Wetar was shown to apply to the resident subspecies ernesti. The discussion overlooked Hartert's own correction of the error (cf. 1906: 292).

+ Further to the discussion of migration to Wallacea of this cuckoo-shrike in White & Bruce (1986: 300), see also Mees (1961) and Hoogerwerf (1966).

8. Sawu (southwest of Timor)

From the visit by Everett (Hartert 1897a).

*Fregata minor* (?)  
*Egretta alba* (?)

\* + *Stiltia Isabella*  
\* *Centropus bengalensis*

\* Based on sight records by Everett and confirmation needed, although both undoubtedly occur.

+ In White & Bruce (1986: 178), Timor should be indicated as the type locality of this bird.

9. Adonara (east of Flores)

From the visit by H. ten Kate (Blittikofer 1892).

*Halcyon chloris*  
*Pachycephala pectoralis*

*Anthreptes malaccensis*

10. Daweloor (east of Babar)

From material sent by J.G.F. Riedel (Meyer 1882).

*Streptopelia chinensis*  
*Geopelia maugei*

*Halcyon chloris*

11. Luang (east of Timor)

From two visits by Kuhn (Hartert 1906a, 1911a)

*Egretta sacra*  
*Esacus magnirostris*

*Dicrurus densus*

12. Babar (west of Tanimbar Islands)

From the visit by Kuhn (Hartert 1906b).

*Cuculus pallidus*

*Chrysococcyx osculans*

Both records of these migratory cuckoos are noteworthy as their records from Wallacea are few. However, the Pallid Cuckoo may be a resident species on Timor and Flores (cf. White & Bruce 1986: 232).

13. Cera (=Sera) (west part of Tanimbar Islands)

From material sent by J.G.F. Riedel (Heyar 1882).

*Ducula concinna*

*Eclectus roratus*

Two additional Tanimbar records known only from Riedel material, but occurrence questioned by Hartert (1901: 176)

*Streptopelia chinensis*

*Trichoglossus euteles*

14. Moa (east of Timor)

From the visit by Kuhn (Hartert 1904).

*Hirundo tahitica*

*Lonchura punctulata*

15. Romang (northeast of Timor)

From the visit by Kuhn (Hartert 1904).

*Haliastur indus*

*Haliaeetus leucogaster*

16. Leti (east of Timor)

From the visit by Kuhn (Hartert 1904).

*Hirundo tahitica*.

17. Lomblen (east of Flores)

From the visit by Doherty (Hartert 1898).

*Turnix maculosa*.

18. Sermata (east of Timor)

From the visit by Kuhn (Hartert 1911b).

*Egretta alba*

19. Solor (east of Flores)

From the visit by Wallace (cf. Sharpe 1892).

*Halcyon chloris*

20. Wedan (near Babar)

From a brief visit by Doherty (Hartert 1904).

*Pachycephala leucogastra*

I also append four brief items to this article :

1. Two other overlooked records :

Flores: *Anthus gustavi* -- two collected by Everett at Manggarai, Oct 1896 (Hartert 1897b: 521), but the species is not mentioned in the summary of Schmutz (1977).

Lombok: *Fregata minor* -- observed by Vorderman in Oct 1894 (cf. Vorderman 1895: 352).

2. Three new records from Sumba :

Mr. John L. McKean very kindly provided me with some of his bird observations from a brief visit to Sumba in June 1986. Three species are new for Sumba:

*Himantopus leucocephalus*

\* *Chlidonias hybridus*

*Stiltia isabella*

\* This is also the first record of the Whiskered Tern for the Lesser Sunda Islands.

3. Addition to the Historical Synopsis :

In White & Bruce (1986: 68-75) I provided an Historical Synopsis of ornithological exploration in Wallacea. On p. 74 add the following:

105a. J. Berlizot 1935. Observations: Lombok, Sulawesi (Berlizot 1936; see also 1935).

The only record of note is Berlizot's report of a Nicobar Pigeon *Caloenas nicobarica* captured locally, and confirming the sight record of Gorst (1935).

4. Addition to the Bibliography :

Add Diamond & Marshall (1976) -- see White S Bruce (1986: 275).

### Ringkasan

Sejumlah jenis burung yang ditemukan dan sebagian diamati di 20 pulau kecil di Kepulauan Sunda Kecil (Nusa Tenggara Barat dan Timur) ditambahkan ke dalam daftar jenis burung yang diterbitkan dalam buku The birds of Wallacea. Jenis-jenis burung dari ke-20 pulau ini, meskipun pada awal kerjanya telah disiapkan untuk dimasukkan dalam buku tsb, namun tersisihkan karena penyelesaiannya lama tertunda. Selain itu *Anthus gustavi*, hasil koleksi Everett di Manggarai pada bulan Oktober 1896, ditambahkan dalam daftar jenis burung untuk Flores demikian juga *Fregata minor* yang diamati Vorderman pada bulan October 1894, ditambahkan dalam daftar jenis burung untuk Lombok. *Himantopus leucocephalus*, *Stiltia isabella*, dan *Chlidonias hybridus* yang diamati John L. McKean pada bulan Juni 1986, adalah merupakan jenis-jenis burung yang baru tercatat untuk Sumba, bahkan *C. hybridus* merupakan jenis burung camar pertama tercatat untuk Kepulauan Sunda Kecil.

## References

- Berlioz, J. 1935. Notes ornithologiques au cours d'un voyage en Malaisie.  
*L'Oiseau et RFO* (n.s.) 5: 389-421.
- , 1936. Notes ornithologiques au cours d'un deuxieme voyage en Malaisie.  
*L'Oiseau et RFO* (n.s.) 6: 1-50.
- Bu'ttikofer, J. 1892. On a collection of birds fro» the islands of Flores,  
Suaiba and Rotti. *Notes Leyden Mus.* 14: 193-207.
- Diamond, J.H. & Marshall, A.G. 1976. Origin of the New Hebridean avifauna.  
*Emu* 76: 187-200.
- Guillemaud, F.H.H. 1885. Report on the collections of birds made during the  
voyage of the yacht 'Marchesa'. Part III. On the collection of birds  
from Sumbawa. *Proc. Zool. Soc. Lond.*: 501-511.
- Hartert, E. 1896. An account of the collections of birds made by Mr.William  
Doherty in the Eastern Archipelago. *Novit. Zool.* 3: 537-590.
- . 1897a. On the birds collected by Mr. Everett on the island of Savu.  
*Novit. Zool.* 4: 263-273-
- . 1897b. On the birds collected by Mr. Everett in south Flores. Part I.  
*Novit. Zool.* 4: 513-528.
- . 1898. On the birds of Lomblen, Pantar, and Alor. *Novit. Zool.* 6: 455-  
476.
- . 1901. On a collection of birds from the Timor-laut Islands. *Novit. Zool*  
. 8: 163-176.
- . 1904. The birds of the South-Nest Islands of Wetter, Roma, Kissier,  
Letti and Moa. *Novit. Zool.* 11:174-221.
- . 1906a. On the birds of Luang. *Novit. Zool.* 13: 302-304.
- . 1906b. On the birds of the island of Babber. *Novit. Zool.* 13; 288-302.
- . 191 la. Additions to the avifauna of Luang. *Novit. Zool.* 18: 170.
- . 1911b. On the birdsof Sermatta, one of the South-West Islands. *Novit.*  
*Zool.* 18: 161-167.
- Hellmayr, C.E. 1914. *Die Avifauna von Timor.* (In) C.B. Haniel (ed.),  
*Zoologie von Timor ; Ergebnisse der unter Leitung von Joh. wanner im*  
*Jahre 1911. Ausgefuehrten Timor-Expedition. Lief.* 1: 1-112.

Hoogerwerf, A. 1966. On some strange birds from the islands of Komodo and Rintja between Sumbawa and Flores (Lesser Sunda Islands). *Misc. Repts Yamashina Inst. Orn. Zool.* 4: 488-497 (86-95).

Horst, O. 1935. Een tocht naar de Segara Anak, het Kratermeer van e Rindjani, Lombok. *Trop. Nat.* 24:179-186.

Mees, G.F. 1961. An annotated catalogue of a collection of bird-skins from West pilbara. *Western Australia. J.R. Soc. West. Aust.* 14: 97-143.

Meyer, A.B. 1882. Ueber Vogel von einigen der sudostlichen Insein des malayischen Archipels, insbesondere über diejenigen Sumba's. *Verh.-K.K. Zool.-hot. Ges. Wien* 31 [1881] : 759-774.

Salvadori, T. 1890. Viaggio di Laaberto Loria nella Papuasia orientale. I. Collezioni Ornitologiche. Nota prima. Uccelli di Pulo penang, di Timor Cupang, di Pulo Semau e di Porto Darwin. *Ann. Mus. Civ. Geneva* (2) 9:476-505.

Schmutz, E. 1977. *Die Vogel von Manggarai (Flores)* . Ruteng, Flores:Author. 104 pp.

Sharpe, R.B. 1892. Catalogue of the Picariae . Coraciae and Halcyones.

(In) *Catalogue of the Birds in the British Museum.* Vol. 17: xii + 346 pp.  
van Bemmelen, A.C.V. & Hoogerwerf, A. 1940. The birds of Goenoeng Api. *Treubia* 17: 421-472 + 33 pll.

Verheijen, J.A.J. 1961. Some notes on the birds of the island of Palue, Flores, observed from 13 April to 5 May 1960. *Ardea* 49: 183-187.

vorderman, A.G. 1895. Lombok-Vogels. *Nat. Tijdschr. Ned. Ind.* 54: 327-353.

White, C.M.N. S Bruce, M.D. 1986. *The Birds of Wallacea (Sulawesi, The Moluccas & Lesser Sunda Islands, Indonesia).* Brit. Orn. Union. Checkl. 7: 1-524.

Address :

8 Spurwood Road, Turramurra. NSW 2074, Australia.