## NOTE ON TWO SIGHT RECORDS OF THE YELLOW-RUMPED FLYCATCHER ON BALI

## By S. van Balen & R. Noske

## Ringkasan

Dipertelakan penemuan-penemuan pertama jenis FIcedula zanthopygia di Ball.

While surveying the low hills south of Teluk Kelor (Bali Barat National Park) 8°06' S, 114°29' E, in the company of M. Rasma on 8 Dec 1989, SvB's attention was drawn by a repeated "trrr" and "tee", sometimes with a short, melodious warble. After some searching the expected bird came into full view and a male *Ficedula zanthopygia* showed its largely black upperparts, of which the bright yellow rump, white eyebrows and wing bars were diagnostic. A glimpse was seen of the yellow throat. The bird was foraging in the lower canopy, full of fresh sprouts since the recently commenced rains, in the mixed forest less than one km inland.

On 10 Jan 1990, RN watched a male Yellow-rumped Flycatcher in weed-infested second growth, 200-300 m to the east of the Teluk Kelor guard post.

This flycatcher is an uncommon winter visitor from the northern hemisphere throughout Java. It is also uncommon in Sumatra (van Marle & Voous 1988), although reported quite regularly from Way Kambas, but not known from Borneo (Smythies 1981) or Bali (Mason & Jarvis 1989). This record is therefore an eastward extension of its known wintering range.

## References

Marle, J.G. van & K.H. Voous. 1988. *The birds of Sumatra. An annotated checklist*. B.O.U. Checklist 10. London.

Mason, V. & F. Jarvis. 1989. Birds of Ball. Periplus Editions, Berkeley-Singapore.

Smythies, B.E. 1981. *The birds of Borneo*. The Sabah Society, and the Malayan Nature Society.